



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED JAN. 13, 1912.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md.	558,485	225	18	2	12	1	23	1			38	36	10	4
Boston, Mass.	670,585	229	39	3	68	1	24				61	25	6	3
Chicago, Ill.	2,185,283	769	153	19	84	4	119	7			170	73	19	2
Cleveland, Ohio.	560,663	146	25	3	43	1	28	4			38	17	5	2
New York, N. Y.	4,766,883	1,455	266	27	560	11	207	12	1		420	165	72	6
Philadelphia, Pa.	1,549,008	573	91	14	6		28	1			99	67	103	11
Pittsburgh, Pa.	533,905	190	32	4	9	1	28	1			32	1	13	4
St. Louis, Mo.	687,029	261	22	2	8		9	2			44	25	8	
Cities having from 300,000 to 500,000 inhabitants.														
Buffalo, N. Y.	423,715	163	24	5	5		20				12	11	7	3
Cincinnati, Ohio.	364,463	135	15	4	1		20	2			36	17	4	
Detroit, Mich.	465,766	170	25	2			40	2	7					
Los Angeles, Cal.	319,198	105	14		1		13	12			24	14	2	2
Milwaukee, Wis.	373,857	121	9	1	56	2	18	2			42	8	53	3
Newark, N. J.	347,469	108	19	3		1	20				25	16	1	
New Orleans, La.	339,075	141	3		1		15	1	3		17	18	3	1
San Francisco, Cal.	416,912	157	9	2	192	4	13				37	18	4	3
Washington, D. C.	331,069	113	9	1	2		10				20	10	5	4
Cities having from 200,000 to 300,000 inhabitants.														
Denver, Colo.	213,381	70	14	1	3		7		4		12			
Kansas City, Mo.	248,381	23	10		1		2				2	4	2	
Providence, R. I.	224,326	77	16		16	1	11					9	2	
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn.	102,054	27	2				2				1	1		
Cambridge, Mass.	104,839	21	10		1	3					4	2		
Columbus, Ohio.	181,548	61	4		21		25		1		1	6		
Dayton, Ohio.	116,577	28	5	1	2		1				1	1	1	
Fall River, Mass.	119,295	41	2	2			1				4	4		
Grand Rapids, Mich.	112,571	37	1				4				1	2	4	
Lowell, Mass.	106,294	45	2	1	16		7				5	5	2	
Nashville, Tenn.	110,364	44	2		2		4				4	5		1
Oakland, Cal.	150,174	37	2		1		7						6	1
Omaha, Nebr.	124,096	39		2			2				1	5		
Spokane, Wash.	104,402		3		18	1	3		12					
Toledo, Ohio.	168,497	60	14	3	7		6		1			9	1	2
Worcester, Mass.	145,986	49	4		3		13				2	5	2	
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	5	3				4				1			
Bayonne, N. J.	55,545		3		10		7				1			
Brockton, Mass.	56,878	20	1		26		4				3	1		
Camden, N. J.	94,538		5	1			6				3			
Duluth, Minn.	78,466	23	1				1		1		2	2		1
Elizabeth, N. J.	73,409	24	1		5		5	1			2	2		
Erie, Pa.	66,525	22	5		2		2				5	2	3	
Evansville, Ind.	69,647	17										2		
Harrisburg, Pa.	64,186	17	2								5	1	1	
Hoboken, N. J.	70,324		6	2			1				3		1	
Houston, Tex.	78,800	28	2	1			3					1		1
Johnstown, Pa.	55,482	21	1		3		5				2			
Kansas City, Kans.	82,331						1		2		2			
Lawrence, Mass.	85,892	24	3		1	1	1					1	2	
Lynn, Mass.	89,336	21	2		3		6				4			
Manchester, N. H.	70,063	19			15	1	2				1	1		
New Bedford, Mass.	96,652	37	4		2	1	3				2	2	1	1
Oklahoma City, Okla.	64,205	13	3	1	1				1			3		
Passaic, N. J.	54,773				1		3				2	1		

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Jan. 13, 1912—Continued.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Continued.														
Pawtucket, R. I.	51,622			1										1
Peoria, Ill.	66,950	28	3								3		1	1
Reading, Pa.	96,071	25	14	3			3		8					
St. Joseph, Mo.	77,403	14					1						2	1
San Antonio, Tex.	96,614	47	1		8		5				8		1	
Schenectady, N. Y.	72,826	30	3		1		3				4			
South Bend, Ind.	53,684	22	2		1						1		10	
Springfield, Ill.	51,678	18	2	1			2				1			
Springfield, Mass.	88,926	35			45		6				1		2	
Terre Haute, Ind.	58,157		3				5						1	
Trenton, N. J.	96,815	32									6		2	1
Wichita, Kans.	52,450		1				1				7		1	
Wilkes-Barre, Pa.	67,105	24	8		292	1					2		1	
Wilmington, Del.	87,411	35											1	
Yonkers, N. Y.	79,803	16	4	1	5		12				5			1
Cities having from 25,000 to 50,000 inhabitants.														
Atlantic City, N. J.	46,150	16	4	1										
Auburn, N. Y.	34,668	10			1						2			1
Aurora, Ill.	29,807	12	3	1					1			2		
Berkeley, Cal.	40,434	12											1	
Binghamton, N. Y.	48,443	12			1						2		2	
Brookline, Mass.	27,792	10	8		1		1						1	
Butte, Mont.	39,165	20	2		1		3					3		
Chattanooga, Tenn.	44,604		1								1		1	
Chelsea, Mass.	32,452	18	1	1	5		1					1		1
Chicopee, Mass.	25,401	9	2		1							2		
Danville, Ill.	27,871	13	3									1		1
Dubuque, Iowa.	38,494	12	2									1		
East Orange, N. J.	34,371	9	1				3							
Elmira, N. Y.	37,176	8	2				5						1	
El Paso, Tex.	39,279	30					5	1	1		3	6	1	1
Everett, Mass.	33,484	4	2				5							
Haverhill, Mass.	44,115	15	1	1	8						4	1		
Kalamazoo, Mich.	39,437	17	1								2	1		
Knoxville, Tenn.	36,346	15	1			1			1					
La Crosse, Wis.	30,417		1									2		
Lancaster, Pa.	47,227		4	1		1	3				3			
Lexington, Ky.	35,089	13	4		23							3		
Lynchburg, Va.	29,464	7			3		3				2		2	
Montgomery, Ala.	38,136	16	2				2				2			
Mount Vernon, N. Y.	30,919		4		25								2	
Newcastle, Pa.	36,280		1	1	1		1						1	
Newport, Ky.	30,309	5	3	1										
Newton, Mass.	39,806	10			1		2				2			
Niagara Falls, N. Y.	30,445	17	10		1		1						2	1
Norristown, Pa.	27,875	11	2		10									
Orange, N. J.	29,630	13	2				4				3	1		
Pasadena, Cal.	30,291	16										3		
Pittsfield, Mass.	32,121	12					1				1	2		
Portsmouth, Va.	33,190	11	5											
Racine, Wis.	38,002	7	3				2	1					2	1
Roanoke, Va.	34,874	13	3		23							2		
Rochford, Ill.	45,401	12	1				1							
Salem, Mass.	43,697	10												
San Diego, Cal.	39,578	4	2					1					4	1
Superior, Wis.	40,384	12	1						3			1		1
Taunton, Mass.	34,259	17										2		
Waltham, Mass.	27,834	11			6		1					1		
West Hoboken, N. J.	35,403	12	5	1			1				2	2		
Wheeling, W. Va.	41,641	11	4								4		3	
Wilmington, N. C.	25,748	11					1		2			2		
York, Pa.	44,750		6	1							2			
Zanesville, Ohio.	28,026	8	4				1						5	

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Jan. 13, 1912—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants.</i>														
Ann Arbor, Mich.....	14,817	14			1									
Beaver Falls, Pa.....	12,191						1				1		4	
Bennington, Vt.....		3	1										1	
Braddock, Pa.....	19,957	7	2		1							1		
Butler, Pa.....	20,782	8		1										
Cambridge, Ohio.....	11,327	3			4									
Carbondale, Pa.....	17,040	5					4							
Clinton, Mass.....	13,075	4	1								1	1		
Coffeyville, Kans.....	12,687												2	
Columbus, Ind.....		1							2			1		
Concord, N. H.....	21,497	12	1		1									
Cumberland, Md.....	21,839	9	1				1				2	1	3	1
Dunkirk, N. Y.....		1					1							
Galesburg, Ill.....	22,089	9												1
Gloucester, Mass.....	24,398	10												
Harrison, N. J.....	14,498	3												
Kearny, N. J.....	18,659	8	2		2		1				1	1		
La Fayette, Ind.....	20,081	9										2		
Lebanon, Pa.....	19,240	3												
Logansport, Ind.....	19,050	7									2		1	
Marinette, Wis.....	14,610	4			9	1						1		1
Marlboro, Mass.....	14,579	7					1							
Massillon, Ohio.....							1		2				1	
Medford, Mass.....	23,150	6												
Melrose, Mass.....	15,715	4			1		1							
Moline, Ill.....	24,199	10												
Montclair, N. J.....	21,150	7			2							2	1	
Morristown, N. J.....	12,507	5											1	
Nanticoke, Pa.....	18,857	5	1		48						1	1		
Newburyport, Mass.....	19,240	4	1											
North Adams, Mass.....	22,012	6										1		
Northampton, Mass.....	19,431	8			1							1		
Ottumwa, Iowa.....	22,012	8											1	
Peekskill, N. Y.....		9										1		
Plainfield, N. J.....	22,550	8			1		1				2	1		
Pottstown, Pa.....		1												
Saratoga Springs, N. Y.....		9			1							2		
South Bethlehem, Pa.....	19,973	8	2	2	5									
Steelton, Pa.....	14,246	3	15	1					6		1	2		
Warren, Ohio.....	11,080	2	1											
Wilkinsburg, Pa.....	18,924	5												
Woburn, Mass.....	15,308	4			1		1				1	2		

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

FLORIDA.—Reports from the State board of health show as follows: Week ended January 13, 1912. Diphtheria present in 3 localities with 3 cases, malaria in 2 localities with 7 cases, smallpox in 3 counties with 27 cases, tuberculosis in 4 localities with 10 cases, typhoid fever in 9 localities with 10 cases.

Week ended January 20, 1912. Diphtheria present in 1 locality with 1 case, malaria in 2 localities with 12 cases, smallpox in 4 counties with 41 cases, tuberculosis in 6 localities with 7 cases, typhoid fever in 5 localities with 10 cases.